

Information Sheet References

Perinatal depression and anxiety: Evidence relating to infant cognitive and emotional development

Impact of Antenatal Depression, Anxiety and Stress on Infant Development

- Anderson, L., Sundstrom-Poromaa, I., Wulff, M., Astrom, M., & Bixo, M. (2004). Neonatal outcome following maternal antenatal depression and anxiety: A population-based study. *American Journal of Epidemiology*, *159*, 872-881.
- Bergman, K., Sarkar, P., Glover, V., & O'Connor, T.G. (2008). Quality of child-parent attachment moderates the impact of antenatal stress on child fearfulness. *Journal of Child Psychology and Psychiatry*, *49*, 1089-1098.
- Bonari, L., Pinto, N., Ahn, E., Einarson, A., Steiner, M., Koren, G. (2004). Perinatal risks of untreated depression during pregnancy. *Canadian Journal of Psychiatry*, *49*, 726-734.
- Coplan, R. J., O'Neil, K., & Arbeau, K. A. (2005). Maternal anxiety during and after pregnancy and infant temperament at three months of age. *Journal of Prenatal and Perinatal Psychology and Health*, *19*, 199-215.
- Field, T., Diego, M., & Hernandez-Reif, M. (2006). Prenatal depression effects on the fetus and newborn: A review. *Infant Behavior and Development*, *29*, 445-455.
- Francis, D. D., Diorio, J., Plotsky, P. M., & Meaney, M. J. (2002). Environmental enrichment reverses the effects of maternal separation on stress reactivity. *The Journal of Neuroscience*, *22*, 7840-7843.
- Glover, V., & O'Connor, T. G. (2002). Effects of antenatal stress and anxiety: Implications for development and psychiatry. *British Journal of Psychiatry*, *180*, 389-391.
- Littleton, H.L., Breitkopf, C. R., & Berenson, A.B. (2007). Correlates of anxiety symptoms during pregnancy and association with perinatal outcomes: A meta-analysis. *American Journal of Obstetrics & Gynecology*, *424*-*432*.
- Mennes, M., Stiers, P., Lagae, L., Van den Bergh, B. (2006). Long-term cognitive sequelae of antenatal maternal anxiety: Involvement of the orbitofrontal cortex. *Neuroscience & Biobehavioral Reviews*, *30*, 1078-1086.
- Mohler, E., Parzer, P., Brunner, R., Wiebel, A., & Resch, F. (2006). Emotional stress in pregnancy predicts human infant reactivity. *Early Human Development*, *82*, 731-737.
- Morley-Fletcher, S., Rea, M., Maccari, S., & Laviola, G. (2003). Environmental enrichment during adolescence reverses the effects of prenatal stress on play behaviour and HPA axis reactivity in rats. *European Journal of Neuroscience*, *18*, 3367-3374.
- O'Connor, T., Heron, J., Golding, J., Beveridge, M., & Glover, V. (2002). Maternal antenatal anxiety and children's behavioural/emotional problems at 4 years. *British Journal of Psychiatry*, *180*, 502-508.
- O'Connor, T., Heron, J., Golding, J., & Glover, V. (2003). Maternal antenatal anxiety and behavioural/emotional problems in children: A test of a programming hypothesis. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, *44*, 7-.
- Talge, N.M., Neal, C., Glover, V., & the Early Stress Translation Research and Prevention Science Network: Fetal and Neonatal Experience and Child and Adolescent Mental Health. Antenatal maternal stress and long-term effects on child neurodevelopment: How and Why? *Journal of child Psychology and Psychiatry*, *48*, 245-261.
- Van den Bergh, B.R.H., & Marcoen, A. (2004). High antenatal maternal anxiety is related to ADHD symptoms, externalizing problems, and anxiety in 8- and 9-year-olds. *Child Development*, *75*, 1085-1097.
- Van den Bergh, B.R.H., Mulder, E.J.H., Mennes, M., & Glover, V. (2005). Antenatal maternal anxiety and stress and the neurobehavioural development of the fetus and child: Links and possible mechanisms. A review. *Neuroscience and Biobehavioral Reviews*, *29*, 237-258.
- Van der Wal, M. F., van Eijsden, M., & Bonsel, G. J. (2007). Stress and emotional problems during pregnancy and excessive infant crying. *Journal of Developmental and Behavioral Pediatrics*, *28*, 431-437.
- Wurmser, H., et al. (2006). Association between life stress during pregnancy and infant crying in the first six months postpartum: A prospective longitudinal study. *Early Human Development*, *82*, 341-349.

Impact of Postnatal Depression and Anxiety on Infant Development

- Cairns, R., Cairns, B.D., Xie, H., Leung, M. & Hearne S. Paths (1998). Across Generations: Academic Competence and Aggressive Behaviours in Young Mothers and their Children. *Developmental Psychology*, *34*(6), 1162-1174.

- Campbell, S.B., et al. (2007) Trajectories of maternal depressive symptoms, maternal sensitivity, & child functioning at school entry. *Dev Psychol*, 43, 1202-15.
- Diego, M. A., Field, T., Jones, N. A., Hernandez-Reif, M. (2006). Withdrawn and intrusive maternal interaction style and infant frontal EEG asymmetry shifts in infants of depressed and non-depressed mothers. *Infant Behavior and Development*, 29, 220-229.
- Field, T., Sandberg, D., Garcia, R., Nitza, V., Goldstein, S. & Guy, L. (1985). Pregnancy problems, postpartum depression and early mother-infant interactions. *Developmental Psychology*, 21(6), 1152-1156.
- Foreman, D. R., O'Hara, M. W., Stuart, S., Gorman, L. L. Larsen, K. E., Coy, K. C. (2007). Effective treatment for postpartum depression is not sufficient to improve the developing mother-child relationship. *Development and Psychopathology*, 19, 585-602.
- Hay, D.F. et al., (2001) Intellectual problems shown by 11-year-old children whose mothers had postnatal depression. *J Child Psychol & Psychiat*, 42, 871-89.
- Lyons-Ruth, K. A. et al. (1990). Infants at social risk: Maternal depression and family support services as mediators of infant development and security of attachment. *Child Development*, 61, 85-98.
- Milgrom, J., Ericksen, J., McCarthy, R.M. & Gemmill, A.W. (2006). Stressful impact of depression on early mother-infant relations. *Stress and Health*, 22, 229-238.
- Milgrom, J., & McCloud, P. (1996). Parenting stress and postnatal depression. *Stress Medicine*, 12, 177-186.
- Milgrom, J., Westley, D. T., & Gemmill, A. (2004). The mediating role of maternal responsiveness in some longer term effects of postnatal depression on infant development. *Infant Behaviour & Development*, 27, 443-454.
- Murray, L. & Cooper, P. J. (1997) *Postpartum Depression and Child Development*. New York: Guilford Press.
- Penman, R., Meares, R., Baker, K. & Milgrom-Friedman, J. (1983). Synchrony in mother-infant interaction: A possible neuropsychological base. *British Journal of Medical Psychology*, 56(1), 1-9.
- Penman, R., Meares, R., & Milgrom-Friedman, J. (1984). Some origins of the difficult child. In Chess S., Alexander, B. Bruner and Mazel (eds.) *Recent developments in child development and child psychiatry*.
- Reck, C. et al. (2004). Interactive Regulation of Affect in Postpartum Depressed Mothers and their Infants: An Overview. *Psychopathology*, 37, 272-280.
- Righetti-Veltema, M., Conne-Perreard, E., Bosquet, A., Manzano, J. (2002). Postpartum depression and mother-infant relationship at 3 months old. *Journal of Affective disorders*, 70, 291-306.
- Stein, A., Gath, D. H., Bucher, J., Bond, A. D., & Cooper, P. J. (1991). The relationship between postnatal depression and mother-child interaction. *British Journal of Psychiatry*, 158, 46-52.
- Stern, D.N. (1985). *The Interpersonal World of the Infant; A view from psychoanalysis and developmental psychology*. New York Basic Books Inc.
- Tronick, E. Z., & Weinberg, M. K. (1997). Depressed mothers and infants: Failure to form dyadic states of consciousness. In L. Murray & P. Cooper (Eds), *Postpartum depression and child development* (pp. 54-81). New York: Guilford Press.
- Wienberg, M. K., & Tronick, E. Z. (1998). Emotional characteristics of infants associated with maternal depression and anxiety. *Pediatrics*, 102, 1298-1304.
- Zeanah, C.H., Benoit, D., Barton, M., Regan, C., Hirshberg, L. & Lipsitt, L. (1993). Representations of attachment in mothers and their one year old infants. *Journal of American Academy of Child and Adolescent Psychiatry*, 32(2), 278-286.

Perinatal Screening and Treatment

- Ainsworth, M.D. Blehar, M. C. Waters, E. & Wall, S. (1974). *Patterns of attachment: A psychological study of the strange situation*. NJ, Erlbaum.
- Ammaniti, M., Speranza, M., Tambelli, R., Muscetta, S., Lucarelli, L., Vismara, L., Odorisio, F., Cimino, S. (2006). A prevention and promotion intervention program in the field of mother-infant relationship. *Infant Mental Health Journal*, 27, 70-90.
- Berlin, L. J. et al. (2007). *Enhancing early attachments: Theory, research, intervention and policy*. Guilford Press.
- Brazelton, T.B, Koslowski, B. Main, M. (1974). The origins of reciprocity: The early mother-infant interaction, in Lewis, M. & Rosenblum, L.A. *The Effect of the Infant on It's caregiver*, New York, Wiley and Sons 49-76.
- Cicchetti, D. et al. (1999). The efficacy of toddler-parent psychotherapy to increase attachment security in offspring of depressed mothers. *Attachment and Human Development*, 1, 34-66.
- Clark, R., Tluczek, A., & Wenzel, A. (2003). Psychotherapy for postpartum depression: A preliminary report. *American Journal of Orthopsychiatry*, 73, 441-454.

- Cooper, P.J. & Murray, L. (1997) The Impact of Psychological Treatments of Postpartum Depression on Maternal Mood and Infant Development. In L. Murray & P. J. Cooper (Eds.), *Postpartum Depression and Child development* (p201-20). Guilford Press: London.
- Cooper, P. J., Murray, L., Wilson, A., Romaniuk, H. (2003). Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression. 2. Impact on mother-child relationship and child outcomes. *British Journal of Psychiatry*, 182, 420-427.
- Cramer, B. (1997). Psychodynamic perspectives on the treatment of postpartum depression and child development. In L. Murray & P.J. Cooper (Eds), *Postpartum depression and child development* (pp. 237-261). New York: Guilford Press.
- Field, T. M. (1997). The treatment of depressed mothers and their infants. In L. Murray & P. J. Cooper (Eds.), *Postpartum depression and child development* (pp 221-236). New York: Guilford Press.
- Field, T. J., Pickens et al., et al. (2000). Targeting adolescent mothers with depressive symptoms for early intervention. *Adolescence*, 35, 381-414.
- Field, T., Sandberg, D., Garcia, R., Nitza, V., Goldstein, S. & Guy, L. (1985). Pregnancy problems, postpartum depression and early mother-infant interactions. *Developmental Psychology*, 21(6), 1152-1156.
- Gelfand, D. M. et al. (1996). Helping mothers fight depression: Evaluation of a home based intervention program for depressed mothers and their infants. *Journal of Clinical Child Psychology*, 25, 406-422.
- Horowitz, J. A., Bell, M., Trybulski, J., Munro, B. H., Moser, D., Hartz, S. A., McCordic, L., Sokel, E. S. (2001). Promoting responsiveness between mothers with depressive symptoms and their infants. *Journal of Nursing Scholarship*, 33, 323-329.
- McDonough, S. C. (1993). Interaction guidance: Understanding and treating early infant-caregiver relationship disturbances. In C. Zeanah Jr (Ed.), *Handbook of Infant Mental Health* (pp. 414-426). New York: Guilford Press.
- Milgrom, J., Ericksen, J.E., Negri, L., & Gemmill, A.W. (2005). Screening for Postnatal Depression in Routine Primary Care: Properties of the Edinburgh Postnatal Depression Scale in an Australian Community. *Australian and New Zealand Journal of Psychiatry*, 39, 745-751.
- Milgrom J, Martin P, Negri L: Treating Postnatal Depression. A Psychological Approach For Health Care Practitioners 1999 John Wiley & Sons England
- Milgrom, J., Negri, L., Gemmill, A. W., McNeil, M., & Martin, P. R. (2005). A randomised controlled trial of psychological interventions for postnatal depression. *British Journal of Clinical Psychology*. 44, 529-542.
- Muir, E. (1992). Watching, waiting and wondering: Applying psychoanalytic principals to mother-infant intervention. *Infant Mental Health Journal*, 13, 319-328.
- Murray, I. Cooper, P., Wilson, A. & Romanluk, H. (2003). Controlled trial of the short and long term effect of psychological treatment of post-partum depression. *British Journal of Psychiatry*, 183, 420-427
- National Collaborating Centre for Mental Health (2007). *Antenatal and postnatal mental health: The NICE guideline on clinical management and service guidance*. Leicester: The British Psychological Society. London: The Royal College of Psychiatrists.
- Onozawa, K., Glover, V., Adams, D., Adams, D., Modi, N., Kumar, R. C. (2001). Infant massage improves mother-infant interaction for mothers with postnatal depression. *Journal of Affective Disorders*, 63, 201-207.
- Toth, S. L. et al. (2006). The efficacy of toddler-parent psychotherapy to reorganize attachment in the young offspring of mothers with major depressive disorder: A randomized preventive trial. *Journal of Consulting and Clinical Psychology*, 74, 1006-1016.